

Powered by Confident Cannabis 1 of 7

Sporobio

3975 190th St. E Hastings, MN 55033 sam.egger@sporobio.com (402) 332-8918

Sample: 2302AIT0130.0291

Strain: n/a Batch#:; Batch Size: g Sample Received: 03/02/2023; Report Created: 03/09/2023

Kuribl Klinical Muscle Salve

Topical, Salve




	<loq Total THC</loq 		395 % al CBD	5.456% Total Cannabinoids
Cannabinoids Date Tested: 03/02/2	2023 %	mg/g	LOC	2
CBC	<loq< td=""><td><loq< td=""><td>0.00</td><td>1</td></loq<></td></loq<>	<loq< td=""><td>0.00</td><td>1</td></loq<>	0.00	1
CDD	E 20E	E2 0 4 7	0.00	1

Analytes	78	115/5	LOQ
CBC	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
CBD	5.395	53.947	0.001
CBDa	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
CBDV	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
CBG	0.061	0.612	0.001
CBGa	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
CBL	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
CBN	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
Δ8-THC	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
Δ9-THC	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
THCa	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
THCVa	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
Method: HPLC	Total Cannabinoids represents th	he sum of all cannabinoids in the t	able above

Method: HPLC Total THC = THCa * 0.877 + Δ9-THC Total CBD = CBDa * 0.877 + CBD

Results are reported on a dry weight basis: Cannabinoid % / (1.0 - moisture content % / 100) = Dry weight cannabinoids % LOQ = Limit of Quantitation

Summary



Measurement Uncertainty is not used for pass/fail conditions but available upon request.



Powered by Confident Cannabis 2 of 7

Sporobio

3975 190th St. E Hastings, MN 55033 sam.egger@sporobio.com (402) 332-8918

Sample: 2302AIT0130.0291

Strain: n/a Batch#:; Batch Size: g Sample Received: 03/02/2023; Report Created: 03/09/2023

Kuribl Klinical Muscle Salve

Topical, Salve

Mycotoxins



Pass


Analyte	LOQ	Limit	Units	Status
	PPB	PPB	PPB	
Aflatoxin B1	1.00	20.00	<loq< td=""><td>Pass</td></loq<>	Pass
Aflatoxin B2	1.00	20.00	<loq< td=""><td>Pass</td></loq<>	Pass
Aflatoxin G1	1.00	20.00	<loq< td=""><td>Pass</td></loq<>	Pass
Aflatoxin G2	1.00	20.00	<loq< td=""><td>Pass</td></loq<>	Pass
Ochratoxin A	1.00	20.00	<loq< td=""><td>Pass</td></loq<>	Pass



Method: LCMS

4150 98th Ave S Fargo, ND (888) 897-4367 www.hempinspection.com







Confident Cannabis All Rights Reserved (866) 506-5866

Measurement Uncertainty is not used for pass/fail conditions but available upon request.



Powered by Confident Cannabis 3 of 7

Sporobio

3975 190th St. E Hastings, MN 55033 sam.egger@sporobio.com (402) 332-8918

Sample: 2302AIT0130.0291

Strain: n/a Batch#:; Batch Size: g Sample Received: 03/02/2023; Report Created: 03/09/2023

Kuribl Klinical Muscle Salve

Topical, Salve

Heavy Metals

Date Tested: 03/06	/2023				
	Analyte	LOQ	Limit	Mass	Status
		PPM	PPM	PPM	
	Arsenic	0.10	1.50	<loq< td=""><td>Pass</td></loq<>	Pass
	Cadmium	0.10	0.50	<loq< td=""><td>Pass</td></loq<>	Pass
	Lead	0.10	0.50	<loq< td=""><td>Pass</td></loq<>	Pass
	Mercury	0.10	3.00	<loq< td=""><td>Pass</td></loq<>	Pass

Method: ICPMS

4150 98th Ave S Fargo, ND (888) 897-4367 www.hempinspection.com



Confident Cannabis All Rights Reserved (866) 506-5866

Ben Gaboury

Senior Analytical Chemist This product has been tested by Adams Indepenent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certicate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division – Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.



Pass



Powered by Confident Cannabis 4 of 7

Sporobio

3975 190th St. E Hastings, MN 55033 sam.egger@sporobio.com (402) 332-8918

Sample: 2302AIT0130.0291

Strain: n/a Batch#: ; Batch Size: g Sample Received: 03/02/2023; Report Created: 03/09/2023

Kuribl Klinical Muscle Salve

Topical, Salve

Pesticides



Pass

Date Tested: 03/06/2023

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Abamectin	0.01	0.50	<loq< td=""><td>Pass</td></loq<>	Pass
Acephate	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Acequinocyl	0.01	2.00	<loq< td=""><td>Pass</td></loq<>	Pass
Acetamiprid	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Aldicarb	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Azoxystrobin	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Bifenazate	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Bifenthrin	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Boscalid	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Carbaryl	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Carbofuran	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Chlorantraniliprole	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Chlorfenapyr	0.01	1.00	<loq< td=""><td>Pass</td></loq<>	Pass
Chlorpyrifos	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Clofentezine	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Cyfluthrin	0.01	1.00	<loq< td=""><td>Pass</td></loq<>	Pass
Cypermethrin	0.01	1.00	<loq< td=""><td>Pass</td></loq<>	Pass
Daminozide	0.01	1.00	<loq< td=""><td>Pass</td></loq<>	Pass
DDVP	0.01	1.00	<loq< td=""><td>Pass</td></loq<>	Pass
Diazinon	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Dimethoate	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Ethoprophos	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Etofenprox	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Etoxazole	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Fenoxycarb	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass

Methods: LCMS and GCMS





Powered by Confident Cannabis 5 of 7

Sporobio

3975 190th St. E Hastings, MN 55033 sam.egger@sporobio.com (402) 332-8918

Sample: 2302AIT0130.0291

Strain: n/a Batch#: ; Batch Size: g Sample Received: 03/02/2023; Report Created: 03/09/2023

Kuribl Klinical Muscle Salve


Topical, Salve

Pesticides

Date Tested: 03/06/2023

3				
Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Fenpyroximate	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Fipronil	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Flonicamid	0.01	1.00	<loq< td=""><td>Pass</td></loq<>	Pass
Fludioxonil	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Hexythiazox	0.01	1.00	<loq< td=""><td>Pass</td></loq<>	Pass
Imazalil	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Imidacloprid	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Kresoxim Methyl	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Malathion	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Metalaxyl	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Methiocarb	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Methomyl	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Methyl Parathion	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
MGK-264	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Myclobutanil	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Naled	0.01	0.50	<loq< td=""><td>Pass</td></loq<>	Pass
Oxamyl	0.01	1.00	<loq< td=""><td>Pass</td></loq<>	Pass
Paclobutrazol	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Permethrins	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Phosmet	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Piperonyl Butoxide	0.01	2.00	<loq< td=""><td>Pass</td></loq<>	Pass
Prallethrin	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Propiconazole	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Propoxur	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Pyrethrins	0.01	1.00	<loq< td=""><td>Pass</td></loq<>	Pass

Methods: LCMS and GCMS



Www.hempinspection.com This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certicate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division – Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.



Pass



Powered by Confident Cannabis 6 of 7

Sporobio

3975 190th St. E Hastings, MN 55033 sam.egger@sporobio.com (402) 332-8918

Sample: 2302AIT0130.0291

Strain: n/a Batch#:; Batch Size: g Sample Received: 03/02/2023; Report Created: 03/09/2023

Kuribl Klinical Muscle Salve

Topical, Salve

Pesticides



Date Tested: 03/06/2023

4150 98th Ave S

(888) 897-4367

www.hempinspection.com

Fargo, ND

Analyte	LOQ	Limit	Mass	Status
5	PPM	PPM	PPM	-
Pyridaben	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Spinosad	0.01 0.01	0.20 0.20	<loq <loq< td=""><td>Pass Pass</td></loq<></loq 	Pass Pass
Spiromesifen Spirotetramat	0.01	0.20	<loq <loq< td=""><td>Pass</td></loq<></loq 	Pass
Spiroxamine	0.01	0.20	<loq <loq< td=""><td>Pass</td></loq<></loq 	Pass
Tebuconazole	0.01	0.40	<loq <loq< td=""><td>Pass</td></loq<></loq 	Pass
Thiacloprid	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Thiamethoxam	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Trifloxystrobin	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
45 and GCMS				
				Confident
THE EMERALD TEST*	2 Jahry		CCREDITES	All Rights
PESTICIDE SCREENING		1001	TEC 17025	Iac MRA (866) 5

Senior Analytical Chemist This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certicate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division – Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Pass



Powered by Confident Cannabis 7 of 7

Sporobio

3975 190th St. E Hastings, MN 55033 sam.egger@sporobio.com (402) 332-8918

Sample: 2302AIT0130.0291

Strain: n/a Batch#:; Batch Size: g Sample Received: 03/02/2023; Report Created: 03/09/2023

Kuribl Klinical Muscle Salve

Topical, Salve

Residual Solvents

Date Tested: 03/06/2023

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
1,4-Dioxane	71.250	380.000	<loq< td=""><td>Pass</td></loq<>	Pass
2-Butanol	437.500	5000.000	<loq< td=""><td>Pass</td></loq<>	Pass
2-Ethoxy-Ethanol	30.000	160.000	<loq< td=""><td>Pass</td></loq<>	Pass
2-Propanol IPA	437.500	5000.000	<loq< td=""><td>Pass</td></loq<>	Pass
Acetone	437.500	5000.000	<loq< td=""><td>Pass</td></loq<>	Pass
Acetonitrile	76.880	410.000	<loq< td=""><td>Pass</td></loq<>	Pass
Benzene	0.375	2.000	<loq< td=""><td>Pass</td></loq<>	Pass
Butanes	156.300	5000.000	<loq< td=""><td>Pass</td></loq<>	Pass
Cumene	13.130	70.000	<loq< td=""><td>Pass</td></loq<>	Pass
Cyclohexane	727.500	3880.000	<loq< td=""><td>Pass</td></loq<>	Pass
Dichloromethane	112.500	600.000	<loq< td=""><td>Pass</td></loq<>	Pass
Ethanol	437.500	5000.000	<loq< td=""><td>Pass</td></loq<>	Pass
Ethyl-Acetate	437.500	5000.000	<loq< td=""><td>Pass</td></loq<>	Pass
Ethyl-Ether	437.500	5000.000	<loq< td=""><td>Pass</td></loq<>	Pass
Ethylene Glycol	116.300	620.000	<loq< td=""><td>Pass</td></loq<>	Pass
Ethylene Oxide	9.375	50.000	<loq< td=""><td>Pass</td></loq<>	Pass
Heptane	437.500	5000.000	<loq< td=""><td>Pass</td></loq<>	Pass
Hexanes	217.500	290.000	<loq< td=""><td>Pass</td></loq<>	Pass
Isopropyl-Acetate	437.500	5000.000	<loq< td=""><td>Pass</td></loq<>	Pass
Methanol	312.500	3000.000	<loq< td=""><td>Pass</td></loq<>	Pass
Pentanes	953.100	5000.000	<loq< td=""><td>Pass</td></loq<>	Pass
Propane	31.250	5000.000	<loq< td=""><td>Pass</td></loq<>	Pass
Tetrahydrofuran	135.000	720.000	<loq< td=""><td>Pass</td></loq<>	Pass
Toluene	166.900	890.000	<loq< td=""><td>Pass</td></loq<>	Pass
Xylenes	1221.000	2170.000	<loq< td=""><td>Pass</td></loq<>	Pass

Method: GCMS (Headspace)

4150 98th Ave S Fargo, ND (888) 897-4367 www.hempinspection.com



Confident Cannabis All Rights Reserved (866) 506-5866

Ben Gaboury

Www.hempinspection.com Senior Analytical Chemist This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certicate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division – Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.



